



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of : Confirmation No. 4361
Kenji SAITO et al. : Group Art Unit: 3723
Serial No. 10/532,586 : Examiner: Robert J. Scruggs
Filed: April 25, 2005

DECLARATION UNDER 37 CFR 1.132

Honorable Commissioner of Patent and Trademarks

Sir:

I, Kenji SAITO declare that:

I was born in Ehime Prefecture, Japan, on April 6, 1952;

I am an inventor of the above-identified US patent
Application;

I am a citizen of Japan and a resident of 27-14, Umezono
2-chome, Tsukuba-shi, Ibaraki-ken 305-0045, Japan;

I graduated from Ritsumeikan University, Science and
Technology Department, Kyoto-shi, Kyoto-fu, Japan in 1978;

I took the doctor degree on the study of the nuclear
physics at Tohoku University, Sendai-shi, Miyagi-ken, Japan in
March 1983. My doctoral work dealt the nuclear magnetic
structure of ^{24}Mg entitled "Inelastic magnetic transition from
 ^{24}Mg used 180° electron scattering";

I was appointed as researcher at Japan Society for the
Promotion of Science (Nippon Gakujutsu Shinkou-kai) in 1983 and
worked for two years 1983-1985 at High Energy Accelerator

Research Organization, 1-1 Oho, Tsukuba-shi, Ibaraki-ken, Japan. I innovated Horizontal Electropolishing Method for superconducting RF niobium cavity there;

I was appointed as associated researcher at High Energy Accelerator Research Organization in 1985. I contributed to the construction of a large superconducting RF accelerator system in the TRISTAN project, which was realized firstly in the world;

I was promoted to assistant professor position at High Energy Accelerator Research Organization in November 2000;

I made concurrently serving the Nagoya University in for one year in 2004. I made lecture there on Superconducting RF cavities for graduate students;

I am concurrently serving the Tokyo University. I am lecturing on Superconducting RF cavities for graduate students since September 2006;

I visited Thomas Jefferson Accelerator Laboratory (JLAB), Newport News, Virginia, U.S.A. during April 1990 to March 1992 as a first guest scientist of JLAB. I was invited by Professor R. Sundelin and worked with Professor. P. Kneisel. I contributed the start-up of CEBAF accelerator construction. I educated CEBAF's engineers and technicians how to assemble cavities in clean-room and to measure them at cryogenic temperature. I developed high gradient SRF cavities with a 30MV/m gradient;

I visited JLAB again in 1994 by short term visiting fellowship of Japanese Ministry of Education and Technology for a half of year in order to study cryogenic refrigerator system;

I studied on the nuclear physics including below 1) to 4);

I switched to accelerator science and technology since

1983 as mentioned above;

The papers below 5) to 118) are on R&D of accelerator.

I reported the following papers up to 2004;

1980 -

- 1) K.Saito : "Magnetic Multipole Transition of ^{24}Mg by Inelastic Electron Scattering at 180° ", Lecture Notes of 1980 RCNP Kikuchi Summer School, May 12 - 15, 1980, P.227.
- 2) "Magnetic Multipole Transition in ^{24}Mg by Inelastic Electron Scattering at 180° ", Proc. of 1980 RCNP International Symposium on Highly Excited States in Nuclear Reactions, Osaka University, May 12 - 16, 1980, Edited by H.Ikegami and M.Muraoka, P.258.

1982 -

- 3) B.S.Dolbilkin, S.Ohsawa, Y.Torizuka, T.Saito, Y.Mizuno and K.Saito : "Electron excitation of giant multipole resonances in ^{148}Sm and ^{152}Sm ", Physical Review C 25(5), May 1982, P.2255.

1983 -

- 4) T.Saito, Y.Fujii, K.Saito and Y.Torizuka : "Isoscalar high-energy octupole resonance in ^{92}Zr in inelastic electron scattering", Physical Review C, 28(2), 1983, P.652.

1984 -

- 5) Shuichi Noguchi, Takaaki Furuya, Kazufumi Hara, Kenji Hosoyama, Yuzo Kojima, Shinji Mitsunobu, Toshiharu Nakazato and Kenji Saito : "Superconducting Cavity Beam Test in the TRISTAN Accumulation Ring", Proc. of 5th Symp. on Accelerator Science and Technology, KEK, Japan, 1984, P.122.
- 6) Takaaki Furuya, Kazufumi Hara, Kenji Hosoyama, Yuzo Kojima, Shinji Mitsunobu, Shuichi Noguchi, Toshiharu Nakazato and Kenji Saito : "500MHz Three-cell Superconducting Cavity for TRISTAN", Proc. of the 5th Symp. on Accelerator Science and Technology, KEK, Japan, 1984, P.122.

1986 -

- 7) Takaaki Furuya, Kazufumi Hara, Kenji Hosoyama, Yuji Kojima, Yuzo Kojima, Shinji Mitsunobu, Hajime Miwa, Shinichi Mukoyama, Toshiharu Nakazato, Shuichi Noguchi, Kenji Saito and Tsuyoshi Tajima: "A Prototype Superconducting Cavity for TRISTAN", Proc. of the 13th International Conference of High Energy Accelerator, Novosibirsk, U.S.S.R, August, 1986, pp. 34 - 37.

1987 -

- 8) Takaaki Furuya, Kiyomitsu Asano, Yuzo Kojima, Shinji Mitsunobu, Hirotaka Nakai, Toshiharu Nakazato, Shuichi Noguchi, Kenji Saito and Tsuyoshi Tajima: " The TRISTAN Superconducting Cavities ", Proc. of the 3rd Workshop on RF Superconductivity, ANL, U.S.A., September, 1987, pp.95 - 108.
- 9) S.Noguchi, K.Akai, M.Arinaga, K.Asano, T.Furuya, K.Hara, K.Hosoyama, A.Kabe, Yuji Kojima, Yuzo, Kojima, S.Mitsunobu, H.Nakai, T.Nakazato, T.Ogitsu, K.Saito, U.Sakamoto, T.Suzuki and T.Tajima: "Status of TRISTAN Superconducting RF Program ", Proc. of the 3rd Workshop on RF Superconductivity, ANL, U.S.A., September, 1987, pp. 605 - 624.

1988 -

- 10) Kiyomitsu Asano, Takaaki Furuya, Yuzo Kojima, Shinji Mitsunobu, Hirotaka Nakai, Shuichi Noguchi, Kenji Saito and Tsuyaoshi Tajima: " XPS and AES Studies of Thin Oxide Layers on Niobium for Superconducting RF Cavities ", KEK Report 88 - 2, 1988.

1989 -

- 11) Y.Kojima, K.Akai, M.Arinaga, K.Asano, E.Erura, T.Furuya, K.Hara, K.Hosoyama, A.Kabe, E.Kako, Y.Kojima, K.Kobo, S.Kurokawa, S.Mitsunobu, H.Nakai, T.Nakazato, S.Noguchi, T.Ogitsu, K.Saito, Y.Sakamoto, T.Shishido, TSuzuki, T.Tajima and T.Takahashi: " Upgrading of TRISTAN by Superconducting RF System ", Proc. of 1989 Particle Accelerator Conference, Chicago, Illinois, U.S.A., 1989, pp. 1789 - 1791.

- 12) Kenji Saito, Yuzo Kojima, Takaaki Furuya, Shinji Mitsunobu,

Shuichi Noguchi, Kenji Hosoyama, Toshiharu Nakazato
Tsuyoshi Tajima, Kiyoshi Asano, Kigo.Inoue, Yohuske Iino,
Hiroshi Nomura and Koichi Takeuchi : " R & D of
Superconducting Cavities at KEK ", Proc. of the 4th Workshop
on RF Superconductivity, KEK, Tsukuba, Japan, August 14 -
18, 1989, pp.635 - 694.

- 13) Yuzo Kojima, K.Akai, M.Arinaga, K.Asano, E.Ezurua, T.Furuya,
K.Hara, K.Hosoyama, A.Kabe, E.Kako, Yuuji Kojima, K.Kubo,
S.Kurokawa, S.Mitsunomu, H.Nakai, S.Noguchi, T.Ogitsu,
K.Saito, Y.Sakamoto, T.Shishido, T.Suzuki, T.Tajima,
T.Takahashi and T.Takashima: " Superconducting RF Activities
at KEK ", Proc. of the 4th Workshop on RF Superconductivity,
KEK, Tsukuba, Japan, August, 1989, pp. 85 - 95.

1990 -

- 14) Y.Kojima, K.Akai, M.Arinaga, K.Asano, E.Ezura, T.Furuya,
K.Hara, K.Hosoyama, A.Kabe, E.Kako, Y.Kojima, K.Kubo,
S.Kurokawa, S.Mitsunobu, H.Nakai, S.Noguchi, T.Ogitsu,
K.Saito, Y.Sakamoto, T.Shishido, T.Suzuki, T.Tajima,
T.Takahashi, T.Takashima: Superconducting RF System of
TRISTAN ", Proc. of the 2nd European Particle Accelerator
Conference, Nice France, June, 1990, P.1082.

- 15) K.Saito : " Field Limitations in Vertical Test of the KEK
5-Cell Cavities ", Proc. of the first International TESLA
Workshop, Cornell Uni., Ithaka, U.S.A., July 23 - 26, 1990.

- 16) P.Kneisel, J.Mammosser, M.G.Rao and K.Saito:
" Superconducting Cavities from High Thermal Conductivity
Niobium for CEBAF ", Proc. of the Conference on Electron Beam
Melting and Refining - State of the Art 1990, Reno, Nevada,
October, 1990, p.177.

1991 -

- 17) Peter Kneisel, John Mammosser, Ganapati Rao, Kenji Saito,
Ron Sundeline: " Performance of Superconducting Cavities for
CEBAF ", Proc. of the IEEE Particle Accelerator Conference,
San Francisco, USA, 1991, pp. 2384 - 2386.

- 18) Kenji Saito and Peter Kneisel: " Q Degradation in

Superconducting Niobium Cavities ", Proc. of the IEEE Particle Accelerator Conference, San Francisco, USA, 1991, pp. 2387 - 2389.

- 19) M.Okuda, K.Saito, T.Suzuki, T.Ohtani, E.Kako, S.Noguchi and T.Suzuki: " Fabrication and Testing of L-band Niobium Coated Copper Cavities " Proc. of the 8th Symp. on Accelerator Science and Technology, Saitama, Japan, November 25 - 27, 1991 , pp. 251 - 253.
- 20) E.Kako, K.Akai, S.Noguchi, M.Ono, K.Saito, T.Ikeda, H.Miwa, T.Suzuki, T.Ohtani, M.Okuda: " Test Results on L-band Nb and Nb/Cu Superconducting Cavities ", Proc. of the 8th Symp. on Accelerator Science and Technology, Saitama, Japan, November 25 - 27, 1991, pp. 254 - 257.
- 21) Kenji Saito and Peter Kneisel: " Observation of Q-Degradation in Superconducting Niobium Cavities due to Cooldown Conditions ", Proc. of the 5th Workshop on RF Superconductivity, Hamburg, Germany, 1991, pp. 665 - 679.
- 22) The SRF Department of CEBAF: " RF Superconductivity at CEBAF ", Proc. of the 5th Workshop on RF Superconductivity, Hamburg, Germany, 1991, pp. 5 - 22.
- 23) Kenji Saito, E.Kako, S.Noguchi, P.Kneisel, H.Miwa, and T.Suzuki: " Behavior of Electropolished Niobium Cavities under Different Cooldown Conditions ", Proc. of the 5th Workshop on RF Superconductivity, Hamburg, Germany, 1991, pp. 654 - 664.
- 24) E.Kako, K.Akai, S.Noguchi, M.Ono, K.Saito, P.Kneisel, H.Miwa and T.Suzuki: " Initial Tests of L-band Niobium Superconducting Cavities for Linear Collider Application ", Proc. of the 5th Workshop on RF Superconductivity, Hambrug, Germany, 1991, pp. 751 - 757.
- 25) M.Okuda, K.Saito, T.Suzuki, T.Ohtani, K.Saito, E.Kako, S.Noguchi, S.Kurokawa, H.Nomura and T.Ikeda: " Fabrication and Testing of L-band Niobium Coated Copper Cavities ", Proc. of the 5th Workshop on RF Superconductivity, Hamburg, Germany,

1991, pp. 509 - 517.

- 26) S.Mitsunobu, K.Akai, K.Asano, T.Furuya, K.Hara, K.Hosoyama, A.Kabe, E.Kako, Y.Kijima, Yuji Kojima, Y.Kojima, K.Kubo, H.Nakai, S.Noguchi, T.Ogitsu, M.Ohara, K.Saito, Y.Sakamoto, T.Shishido, T.Tajima, and T.Takahashi: " Superconducting RF Activities at KEK ", Proc. of the 5th Workshop on RF Superconductivity, Hamburg, Germany, 1991, pp. 84 - 94.

1992 -

- 27) Kenji Saito and Peter Kneisel: " Q-Degradation in High Purity Niobium Cavities - Dependence on Temperature and RRR-Value ", Proc. of the 3rd European Particle Accelerator Conference, Berlin, Germany, 1992, pp. 1231 - 1233.
- 28) E.Kako, A.Akai, P.Kneisel, M.Matsuoka, H.Miwa, S.Noguchi, M.Ono, K.Saito, T.Shishido, and T.Suzuki: " Development of Superconducting Cavities for High Gradient Applications ", Proc. of the 3rd European Particle Accelerator Conference, Berlin, Germany, 1992, pp. 1272 - 1274.
- 29) Peter Kneisel and Kenji Saito: " Superconducting Niobium Cavities with High Gradients ", Proc. of the 16th International Linac Conference, Ottawa, Ontario, Canada, August 1992, pp. 160 - 163.
- 30) E.Kako, K.Akai, P.Kneisel, M.Matsuoka, H.Miwa, S.Noguchi, M.Ohara, M.Ono, K.Saito, T.Shishido and T.Suzuki: " Development of High Gradient L-band Superconducting Cavities ", Proc. of the XVth International Conference on High Energy Accelerator Conference, Hamburg, Germany, 1992, P. 966 - 968.
- 31) K.Saito, P.Kneisel, S.Noguchi, L.Turligton, J.Brawley, E.Kako, M.Ono, and T.Shishido: " Development of a Superconducting Cavity for High Gradient Accelerator ", Proc. of the XVth International Conference on High Energy Accelerator Conference, Hamburg, Germany, 1992, P. 969.
- 32) T.Tajima, K.Asano, T.Furuya, K.Hara, K.Hosoyama, A.Kabe, E.Kako, Y.Kojima, K.Kubo, S.Kurokawa, S.Mitsunobu, H.Nakai, S.Noguchi, K.Saito, T.Shishido, T.Takahasi: " Temperature

Mapping System Developed at KEK for Field Emission Studies on Superconducting Cavities ", Proc. of the XVth International Conference on High Energy Accelerator Conference, Hamburg, Germany, 1992, pp. 751 - 753.

- 33) Kenji Saito: " The Future of Surface Treatment Technologies for High Field Niobium Superconducting Cavities ", Proc. of Workshop on AC Superconductivity Sponsored by the Particles and Fields Commission of IUPAP, KEK, Tsukuba, Japan, June 23 - 25, 1992, P. 138 - 147.

1993 -

- 34) K.Saito, S.Noguchi, E.Kako, M.Ono, T.Shishido, T.Tajima, M.Matsuoka, H.Miwa, T.Suzuki and H.Umezawa : " L-band Superconducting Cavities at KEK for TESLA ", Proc. of the Particle Accelerator Conference, Washington, D.C, U.S.A, May 17 - 20, 1993, pp. 1024 - 1026.
- 35) K.Saito, S.Noguchi, E.Kako, M.Ono, T.Shishido, M.Yoshioka, P.Kneisel, H.Miwa, T.Suzuki, K.Kurosawa and K.Nishitani : " Study of Ultra-clean Surfaces for Accelerator Structures", Proc. of the 9th Symp. on Accelerator Science and Technology, Tsukuba, Japan, August 25 - 27, 1993, pp.446 - 448.
- 36) E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido, T.Tajima, P.Kneisel, M.Matsuoka, H.Miwa, T.Suzuki, and Umezawa : " High Field Studies on L-band Superconducting Cavities at KEK ", Proc. of the 9th Symp. on Accelerator Science and Technology, Tsukuba, Japan, August 25 - 27, 1993, pp. 443 - 445.
- 37) E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido, T.Tajima, P.Kneisel, M.Matsuoka, H.Miwa, T.Suzuki, and H.Umezawa: " Test Results on High Gradient L-Band Superconducting Cavities ", Proc. of the 6th Workshop on RF Superconductivity, CEBAF, Newport News VA. U.S.A., October 4 - 8, 1993, pp. 918 - 943.
- 38) K.Saito, E.Kako, S.Noguchi, M.Ono, T.Shishido, H.Inoue, Y.Funahashi, P.Kneisel, M.Matsuoka, H.Miwa, T.Suzuki and H.Umezawa: " TESLA Activities at KEK ", Proc. of the 6th Workshop on RF Superconductivity, CEBAF, Newport News, VA. U.S.A., October 4 - 8, 1993, pp. 372 - 381.

- 39) K.Saito, H.Miwa, K.Kurasawa, P.Kneisel, S.Noguchi, E.Kako, M.Ono, T.Shishido and T.Suzuki: " Study of Ultra-clean Surface for Niobium SC Cavities ", Proc. of the 6th Workshop on RF Superconductivity, CEBAF, Newport News, VA. U.S.A., October 4 - 8, 1993, pp.1151 - 1159.
- 40) J.Halbritter, P.Kneisel, and K.Saito: " Additional Losses in High Purity Niobium Cavities Related to Slow Cooldown and Hydrogen Segregation ", Proc. of the 6th Workshop on RF Superconductivity, CEBAF, Newport News, VA. U.S.A., October 4 - 8, 1993, pp. 617 - 627.
- 1994-
- 41) M.Yoshioka, H.Akiyama, H.Matsumoto, H.Miwa, K.Nishitani, K.Saito, T.Suzuki, Y.Takeuchi, and E.Tanabe: " HIGH GRADIENT STUDIES ON UHV ROOM TEMPERATURE CAVITIES AT S-BAND FOR LINEAR COLLIDERS ", Proc. of the 1994 International Linac Conference, August 21-26, 1994, Tsukuba, Japan, pp. 302 - 304.
- 42) E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido, S.Kobayashi, M.Matsuoka, H.Miwa, T.Suzuki and T.Higuchi: " HIGH GRADIENT TESTS OF 1.3 GHz SUPERCONDUCTING CAVITIES ", Proc. of the 1994 International Linac Conference, August 21-26, 1994, Tsukuba, Japan, pp. 251 - 253.
- 1995-
- 43) M.WAKE and K.SAITO: " Magnetization Measurement of Niobium for Superconducting Cavity Material Evaluation ", KEK Report 95-6, May 1995 A.
- 44) E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido, T.Fujino, Y.Funahasi, H.Inoue, T.Higuchi, and M.Matsuoka: " Status of Development in the 1.3 GHz Superconducting Cavities for High Gradient Applications ", Sixth International Workshop on Linear Colliders March 27 - 31, 1995, Tsukuba, Japan, edited by J.Urakawa, KEK Proceedings 95-5 August 1995 A, pp. 1163 -1166.
- 45) K.Saito: " Explosive forming for Superconducting RF cavities", Sixth International Workshop on Linear Colliders

March 27 - 31, 1995, Tsukuba, Japan, edited by J.Urakawa,
KEK Proceedings 95-5 August 1995 A, P.1167-1171.

- 46) Masayoshi Wake, Kenji Saito and Hitoshi Inoue:
"Magnetization Measurement of Niobium for SC Cavity Material
Evaluation ", Sixth International Workshop on Linear
Colliders March 27 - 31, 1995, Tsukuba, Japan, edited by
J.Urakawa, KEK Proceedings 95-5 August 1995 A, P.1172-1181.
- 47) E.Kako, S.Noguchi, M.Ono, K.Saito, T. Shishido, T.Higuchi
and M.Matsuoka: "Characteristics of Performance on the 1.3
GHz Superconducting Cavities ", Proc. of the 7th Workshop
on RF Superconductivity, CEA-Saclay, Gif-sur-Yvette, France,
October 17 - 20, 1995, pp. 425 - 430.
- 48) K.SAITO and M.WAKE : " A New Material Evaluation Method on
Niobium by Magnetization Measurement ", KEK Preprint 95-221,
March 1996 A, Proc. of the 7th Workshop on RF
Superconductivity, CEA-Saclay, Gif-sur-Yvette, France,
October 17 - 20, 1995
- 49) K.SAITO, T.HIGUCHI, T.SUZUKI, E.KAKO, S.NOGUCHI, M.ONO and
T.SHISHIDO : " Water Rinsing of the Contaminated
Superconducting RF Cavities ", KEK Preprint 95-218, March
1996 A, Submitted to the 7th Workshop on RF Superconductivity,
CEA-Saclay, Gif-sur-Yvette, France, October 17- 20, 1995, pp.
379 - 383.
- 50) T.HIGUCHI, K.SAITO, S.NOGUCHI, M.ONO, E.KAKO, T.SHISHIDO,
Y.FUNAHASHI, H.INOUE and T.SUZUKI : " Investigation of
Barrel Polishing for Superconducting Niobium Cavities ",
KEK Preprint 95-220, March 1996 A, Proc. of the 7th Workshop
on RF Superconductivity, CEA-Saclay, Gif-sur-Yvette,
France, October 17 - 20, 1995, pp. 723 - 728.
- 51) T.FUJINO, H.INOUE, K.SAITO, S.NOGUCHI, M.ONO, E.KAKO,
T.SHISHIDO, A.KUBOTA and S.KOIDE : " Status of the Seamless
L-band Cavity Fabrication at KEK ", KEK Preprint 95-219, March
1996 A, Proc. of the 7th Workshop on RF Superconductivity,
CEA-Saclay, Gif-sur-Yvette, France, October 17 - 20, 1995,
pp. 741 - 748.

- 52) K.Hosoyama, K.Hara, A.Kabe, Y.Kojima, Y.Morita, H.Nakai, K.Saito, T.Furuya, K.Akai, H.Hattori and S.Imatake: " Crab Cavity for KEKB ", Proc. of the 7th Workshop on RF Superconductivity, October 17-20, 1995, Gif sur Yvette, France, pp. 671 - 675.

1996-

- 53) M.Wake and K.Saito: " RRR Evaluation of Niobium Using AC Susceptibility Measurement ", KEK Preprint 96-28 (1996).
- 54) E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido, H.Inoue, T.Fujino, Y.Funahashi, M.Matsuoka, T.Higuchi, T.Suzuki and H.Umezawa: " Thermal Quench Phenomena on The 1.3 GHz High Gradient Superconducting Cavities ", Proc. of the 5th European Particle Accelerator Conference, Sitges (Barcelona), 10-14 June 1996, pp. 2124.
- 55) N.Ito, K.Mukugi, K.Hasegawa, J.Kusano, S.Noguchi, K.Saito and M.Mizumoto: " Development of a Superconducting Cavity for The High Intensity Proton LINAC in JAERI ", Proc. of the XVIII International Linear Accelerator Conference, 26-30 August 1996, Geneva Switzerland, pp. 671 - 673.

1997-

- 56) T.Ota, S.Sukenobu, Y.Tanabe, Y.Onishi, S.Noguchi, M.Ono, K.Saito, T.Shishido, Y.Yamazaki: "Effect of the Annealing Temperature for the Hydrogen Q-degradation on Superconducting Cavities ", Proc of the Symp. on Accelerator Science and Technology, Spring - 8, Harima Science Garden City, October 21 - 23, 1997, pp. 243 - 245.
- 57) J.Kusano, N.Ouchi, N.Akaoka, K.Saito, S.Noguchi, K.Mukugi, K.Hasegawa, M.Mizumoto : " Superconducting Single Cell Cavity Test for Neutron Science Project at JAERI ", Proc of the Symp. Accelerator Science and technology, Spring - 8, Harima Science Garden City, October 21 - 23, pp. 240 - 242.
- 58) K.Saito, H.Inoue, E.Kako, T.Fujino, S.Noguchi, M.Ono, and T.Shishido: " Superiority of Electropolishing over Chemical Polishing on High Gradients", KEK Preprint 98-2 April 1998

- A. Invited talk in the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, Proc. of the workshop 795 - 813. Particle Accelerators, Vol. 60, pp. 193 - 217.
- 59) Y.Matsubara, H.Saito, M.Hirose, H.Inoue, M.Ono, S.Noguchi, K.Saito and T.Shishido : " Development on Superconducting Cavities at SHI ", Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6-10, 1997, pp. 248 - 253.
- 60) T.Ota, S.Sukenobu, Y.Tanabe, K.Takahoshi, M.Yamada, S.Kawatsu, H.Inoue, S.Noguchi, M.Ono, K.Saito, T.Shishido and Y.Yamazaki: " Activities Superconducting Cavities at TOSHIBA ", Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 254 - 260.
- 61) K.Saito, K.Sasaki, E.Seki, K.Arai, K.Negishi and T.Higuchi: " Degassing Effect in Water - Sterilizing Effect - ", KEK Preprint 98-3, April 1998, A. Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 655 - 661.
- 62) M.Ono, E.Kako, S.Noguchi, K.Saito, T.Shishido, H.Inoue, T.Fujino, H.Umezawa and K.Takeuchi: " Achievement of 40 MV/m in L-band SCC Cavity at KEK ", Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 472 - 484.
- 63) M.Matsuoka, K.Ohkubo, T.Yamanaka, E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido: " Development of the L-band Superconducting Cavity at MHI ", Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 485 - 490.
- 64) E.Kako, M.Bolore, Y.Boudigou, JP.Charrier, B.Coadou, E.Jaques, M.Juillard, JP.Poupeu, H.Safa, S.Noguchi, M.Ono, K.Saito, T.Shishido: " Cavity Performance in the 1.3 GHz Saclay/KEK Nb Cavities ", Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 1

0, 1997, pp. 491 - 502.

- 65) K.Saito, S.Noguchi, H.Inoue, M.Ono, T.Shishido, Y.Yamazaki, N.Ouchi, J.Kusano, M.Mizumoto, and M.Matsuoka: " Development of 1.3 GHz Medium - β Structure with High Gradient ", KEK Preprint 98-2 April 1998 A. Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, 534 - 539.
- 66) P.Kneisel, K.Saito, R.Parodi: " Performance of 1300 MHz KEK-Type Single Cell Niobium Cavities ", Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 463 - 471.
- 67) T.Higuchi, T.Suzuki, T.Ikeda, S.Ogushi, K.Komine, M.Nishigaki, S.Fukuda, K.Saito, S.Noguchi, M.Ono, T.Shishido : " Activities on Surface Treatment for SC Cavities in Nomura Plating Co., Ltd..Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 662 - 666.
- 68) H.Kitamura, Y.Kojima, T.Murai, Y.Kijima, S.Noguchi, M.Ono, K.Saito, T.Shishido, Y.Baba, K.Sato: "Application of Electro-Chemical Buffing to L-band Superconducting Niobium Cavity ", Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 667 - 674.
- 69) N.Ouchi, J.Kusano, N.Akaoka, S.Takeuchi, B.Fechner, K.Hasegawa, M.Mizumoto, K.Saito, S.Noguchi, M.Ono, E.Kako, H.Inoue, K.Mukugi, Y.Honda: " Design and Development Work for a Superconducting Proton LINAC at JAERI ", submitted to the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 22 - 26.
- 70) N.Ouchi, J.Kusano, N.Akaoka, S.Takeuchi, B.Fechner, K.Hasegawa, M.Mizumoto, H.Inoue, E.Kako, S.Noguchi, M.Ono, K.Saito, K.Mukugi, Y.Honda: " Proton LNIAC Activities in JAERI ", Proc. of the 8th Workshop on RF Superconductivity Abano Terme (Padova), Italy, October 6 - 10, 1997, pp. 12 - 21.

1998-

- 71) N.Akaoka, K.Hasegawa, Y.Honda, J.Kusano, M.Mizumoto, K.Mukugi, N.Ouchi, H.Inoue, S.Noguchi, K.Saito: "Development of Superconducting Single-cell Cavity for a Proton LINAC in the Neutron Science Project at JAERI ", Proc. of the 6th European Particle Accelerator Conference, EPAC-98.e pp. 734 - 736.
- 72) K.Saito, P.Kneisel, E.Kako, T.Shishido, S.Noguchi, M.Ono and Y.Yamazaki: " Basic Research on Horizontal Assembly Method of SC Cavities with High Q and High Gradient ", Proc. of LINAC 98 XIX International Linac Conference, Chicago, Illinois, USA, August 23-28, 1998, pp. 294 - 298.
- 73) Y.Matsubara, M.Hirose, T.Hori, H.Saito, F.Yukawa, H.Inoue, M.Ono, E.Kako, S.Noguchi, K.Saito, T.Shishido: " The Present Status of Development on Superconducting Cavities at SHI ", Proc. of LINAC 98 XIX International Linac Conference, Chicago, Illinois, USA, August 23-28, 1998, pp. 606 - 606.
- 74) K.Saito, T.Fujino, H.Inoue, N.Hitomi, E.Kako, T.Shishido, S.Noguchi, M.Ono, Y.Yamazaki: " Feasibility Study of the Nb/Cu Clad Superconducting RF Cavities ", submitted to the 1998 Applied Superconductivity Conference, September 13 - 18, 1998, Marriott's Desert Spring Resort and Spa Palm Desert, California, USA. IEE Transactions on Applied Superconductivity, Vol. 9, No.2, June 1999, pp. 877 - 880.
- 75) N.Ouchi, J.Kusanno, N.Akaoka, S.Takeda, S.Takeuchi, K.Hasegawa, M.Mizumoto, H.Inoue, E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido, K.Mukugi, Y.Honda: " Development of Superconducting Cavities for High Intensity Proton Accelerator at JAERI ", submitted to the 1998 Applied Superconductivity Conference, September 13 - 18, 1998, Marriott's Desert Spring Resort and Spa Palm Desert, California, USA. IEE Transactions on Applied Superconductivity, Vol. 9, No.2, June 1999, pp. 1030 - 1035.
- 76) M. Kawamoto, K.Saito, H.Inoue, S.Noguchi, E.Kako, M.Ono, T.Shishido, Y.Yamazaki, P.Maccioni: " Evaluation of L-band

Superconducting Cavity Fabricated from Heraeus Nb Plates ",
Proc. of the 23rd Linear Accelerator Meeting in Japan,
September 16 - 18, 1998, Tsukuba, Japan, pp. 274 - 276.

1999 -

- 77) T.Ota, N.Kakutani, S.Sukenobu, Y.Tanabe, M.Takahashi, H.Hatakeyama, Y.Onishi, E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido, Y.Yamazaki: " RF Test Results of an L-band Single-cell Niobium Cavity Installed in a Horizontal Cryostat", Proc. of the 12nd Symposium on Accelerator Science and Technology, Wako, Japan, October 27 - 29, 1999, pp. 325 -327.
- 78) K.Saito, H.Inoue, E.Kako, T.Shishido, S.Noguchi, M.Ono, Y.Yamazaki, T.Highcji, M.Kawamoto, T.Ota, K.Nakanishi, Y.Matsubara, P.Kneisel, D.Proch ans L.Lilje : " High Gradient Performance by Electropolishing with 1300 MHz Single and Multi-cell Niobium Superconducting Cavities", KEK Preprint 99-193, March 2000 A, Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the <http://mesa53.lanl.gov/rfsc99/part.html>.
- 79) K.Saito, E.Kako, T.Shishido, S.Noguchi, M.Ono, and Y.Yamazaki : " Long Term Air Exposure Effect on the Electropolished Surface of Niobium Superconducting RF Cavity", KEK Preprint 99-195, March 2000 A, Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the <http://mesa53.lanl.gov/rfsc99/part.html>.
- 80) K.Saito : " KEK Other Cleaning Techniques ", KEK Preprint 99-196, March 2000 A, Invited talk in the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the <http://mesa53.lanl.gov/rfsc99/part.html>.
- 81) K.Saito, T.Higuchi, E.Kako, T.Shishido, S.Noguchi, M.Ono, and Y.Yamazaki : " Discovery of the Needless of Outgas Annealing after Horizontally Continuously Rotated Electropolishing with Niobium Superconducting RF Cavities ", KEK Preprint 99-194, March 2000 A, Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A.,

November 1-5, 1999, see the
<http://mesa53.lanl.gov/rfsc99/part.html>.

- 82) K.Saito and P.Kneisel : " Temperature Dependence of the Surface Resistance of Niobium at 1300 MHz - Comparison to BCS Theory - ", KEK Preprint 99-192, March 2000 A, Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the
<http://mesa53.lanl.gov/rfsc99/part.html>.
- 83) E.Kako, S.Noguchi, M.Ono, K.Saito, T.Shishido, H.Safa, J.Knobloch and L.Lilje : " Improvement of Cavity Performance in the Saclay/Cornell/DESY's SC Cavities ", Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the
<http://mesa53.lanl.gov/rfsc99/part.html>.
- 84) H.Kitamura, Y.Kijima Y.Murai, K.Saito, E.Kako, T.Shishido, M.Ono and S.Noguchi : " Effect of N2 Gas Exposure on the L-band Superconducting Cavity ", Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the <http://mesa53.lanl.gov/rfsc99/part.html>.
- 85) P.Kneisel, V.Palmieri, K.Saito: " Development of Seamless Niobium Cavities for Accelerator Application ", Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the
<http://mesa53.lanl.gov/rfsc99/part.html>.
- 86) K.Ishio, K.Kikuchi, J.Kusano, M.Mizumoto, K.Mukugi, A.Naito, N.Ouchi, Y.Tsuchiya, K.Saito : " Fracture Toughness and Mechanical Properties of Pure Niobium and Welded Joints for Superconducting Cavities at 4 K ", Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the
<http://mesa53.lanl.gov/rfsc99/part.html>.
- 87) T.Shishido, T.Fujino, H.Inoue, E.Kako, S.Noguchi, M.Ono, K.Saito, T.Higuchi: " Test Results of the L-band Superconducting Cavity Made from Twice Melted Niobium ", Submitted to the 9th Workshop on RF Superconductivity, LANL,

Santa Fe, NM, U.S.A., November 1-5, 1999, see the <http://mesa53.lanl.gov/rfsc99/part.html>.

- 88) T.Higuchi, S.Nomura, T.Ikeda, S.Ogushi, T.Suzuki, M.Shiratake, S.Fukuda, K.Saito, S.Noguchi, E.Kako, M.Ono, T.Shishido : " Development of Horizontal Chemical Polishing for Superconducting Niobium Cavities ", Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the <http://mesa53.lanl.gov/rfsc99/part.html> .
- 89) M.Ono, E.Kako, K.Saito, T.Shishido, S.Noguchi and T.Yokoi: " Magnetic Field Effects on Superconducting Cavity ", Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the <http://mesa53.lanl.gov/rfsc99/part.html>.
- 90) T.Fujino, V.Palmieri, K.Saito, H.Inoue, N.Hitomi, S.Noguchi, M.Ono, E.Kako, T.Shishido and Y.Yamazaki: " Promising Performance of the Nb/Cu Clad Seamless Superconducting RF Cavities ", KEK Preprint 99-157, December 1999 A. Submitted to the 9th Workshop on RF Superconductivity, LANL, Santa Fe, NM, U.S.A., November 1-5, 1999, see the <http://mesa53.lanl.gov/rfsc99/part.html>.
- 91) K.Saito: " Superconducting RF Cavity R&D with High Power Proton Accelerator for the Joint Project JAERI/KEK ", KEK Preprint 99-197, March 2000 A, Invited talk in the NEA/OCDE Workshop on " Utilization and Reliability of High Power Accelerator ", Aix-en-Provence, France, November 22 - 24, 1999.
- 2001-
- 92) K.Saito, " Critical Field Limitation of the Niobium Superconducting RF Cavity ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6 -11, KEK, Japan, pp.583-587.
- 93) K.Saito, " Experimental Formula of the On-set Level of Two-point Multipacting Over the RF Frequency Range 500MHz to 1300 MHz ", Proc. of the 10th Workshop on RF

- Superconductivity, 2001 Sept. 6 -11, KEK, Japan, pp.419-422.
- 94) K.Saito, T. Fujino, .N. Hitomi, H. Inoue, Y. Yamazaki, "R&D of Nb/Cu Clad Seamless Cavities at KEKK ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6 - 11, KEK, Japan, pp.523-530.
- 95) K.Saito, " Behavior of Air Exposure of Medium β (=0.45) Niobium SC Cavity ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6~11, KEK, Japan, pp.588-590.
- 96) K.Saito, " Basic Study for Degradation Free Final Horizontal Cavity Assembly with High Gradient Niobium SC Cavities ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6 - 11, KEK, Japan, pp.423-426.
- 97) K.Saito, H.Inoue, H.Ao, " Stainless Flange Bonded to Niobium Tube and Simple Aluminum Sealing ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6 - 11, KEK, Japan, pp.531-534.
- 98) T.Higuchi, K.Saito and Y.Yamazaki, " Hydrogen Q-disease and Electropolishing ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6 - 11, KEK, Japan, pp.427-430.
- 100) T.Higuchi, K.Saito, Y.Yamazaki, T.Ikeda and S.Ohgushi, "Centrifugal Barrel Polishing of L-Band Niobium Cavities ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6 - 11, KEK, Japan, pp.427-430.
- 101) R.Noer, S.Misunobu, Y.Kijima, T.Higuchi, and K.Saito, "Secondary Electron Yield of Nb RF Cavity Surfaces ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6~11, KEK, Japan, pp.400-402.
- 102) W.Singer, H.Kaiser, X.Singer, G.Weichert, I.Jelezov, T.Khabibuline, A.Skasyrskaia, P.Kneisel, T.Fujino and K.Saito, " Hydroforming od Superconducting TESLA Cavities", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6 - 11, KEK, Japan, pp.170-176.

- 103) H.Nakai, K.Akai, E.Ezura, T.Fujino, K.Hara, K.Hosoyama, H.Inoue, A.Kabe, E.Kako, Y.Kojima, S.Mitsunobu, Y.Morita, S.Noguchi, K.Saito, T.Shishido, T.Higuchi, " Status Report of Superconducting RF Activities in KEK ", Proc. of the 10th Workshop on RF Superconductivity, 2001 Sept. 6 - 11, KEK, Japan, pp.78-80.

2002-

- 104) K.Saito, " Techniques of SC Cavity Preparation for High Gradient ", Invited Talk in LNAC2002 in Gyongju, Korea, August 19-23, 2003, <http://linac2002.postec.ac.kr/WE104>.
- 105) N.Ouchi, N.Akaoka, H.Asano, E.Chishiro, K.Hasegawa, O.Takeda, H.Yoshikawa,, M.Matsuoka, T.Ohtani, E.Kako, S.Noguchi and K.Saito, " Cold Test of 600MHz Superconducting Cryomodule for High Intensity Proton Linac ", Proc. of the LNAC2002 in Gyeongju, Korea, August 19-23, 2003, <http://linac2002.postec.ac.kr/TU474>.
- 106) T.Higuchi and K.Saito, " Hydrogen Absorption in Electropolishing of Niobium ", Proc. of the first international workshop on Hydrogen in Materials & Vacuum Systems ", Nov. 11-13, 2002, Newport News, Virginia, USA, AIP Conference Proceedings 671, editor Ganapati Rao Myneni, pp.203-219.

2003-

- 107) K.Saito, " Development of Electropolishing Technology for Superconducting Cavities ", Invited Talk in the 21st Particle Accelerator Conference PAC2003, May 12-16, 2003, Portland, Oregon, USA, Proc. of the PAC2003, www-conf.slac.stanford.edu/pac203/ROAA002.
- 108) K.Saito, " Theoretical Critical Field in RF Application", Invited Talk in the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003, to be published in the proc. of the SRF2003.
- 109) K.Saito, " Q-Slope Analysis of Niobium SC RF Cavities ", to be published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep.

2003.

- 110) K.Saito, " Surface Smoothness for High Gradient Niobium SC RF Cavities ", to be published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003.
- 111) K.Saito, " RRR Effect on The Flux Trapping of Niobium SC Cavities ", to be published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003.
- 112) K.Saito, H.Tatsumoto, H.Inoue, " Simple Aluminum Sealing for Superfluid Heilium ", to be published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003.
- 113) K.Saito, S.Noguchi, T.Ohota, Y.Yanagisawa, and M. Matsuoka, " Half-Cell Die Design for High Intensity Proton LINAC ", to be published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003.
- 114) I.Itoh, K.Saito, H.Inoue and W.Singer, " Hot Roll Bonding Method for Nb/Cu Clad Seamless SC Cavity ", to be published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003.
- 115) N.Ouchi, N.Akaoka, H.Asano, E.Chishiro, Y.Namekawa, H.Suzuki, T.Ueno, S.Noguchi, E.Kako, N.huchi, K.Saito, T.Shishido, K.Tsuchiya, K.Okubo, M.Matsuoka, K.Sennyu, T.Murai, T.Ohtani, C.Tsukishima, " Development of Superconducting Proton Linac for ADS ", to be published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003.
- 116) L.Lilje, E.Kako, K.Saito, T.Suzuki, D.Kostin, W. -D. Moeller, R.Lange, J.Eschke, D.Reshke, S.Simrock, P.Schueser, D.Proch, A.Matheisen, P.Sekalski, A.Bosotti and R.Pararella, " High Gradient Experiments in Electropolished TESLA Multi-cell Cavities ", to be

published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003.

- 117) T.Higuchi and K.Saito, " Development of Hydrogen-free EP and Hydrogen Absorption Phenomena ", to be published in the Proc. of the 11th Workshop on RF Superconductivity, Lubeck/Travemunde, Germany, 8 - 12 Sep. 2003.

2004-

- 118) K.Saito and M.Yoshioka, " Proposal for TeV-Superconducting Linear Collider", Proc of the 1st Annual Meeting of Particle Accelerator Society of Japan and the 29th Linear Accelerator Meeting In Japan, August 4 - 6, 2004, Funabashi Japan, pp. 81 - 83.

The experiments set out below were conducted under my supervision and direction.

Experiment 1

Comparative investigation on occlusion of hydrogen as a solid solution according to a kind of a liquid medium in centrifugal barrel polishing

(1) Test method

Dehydrogenation of an L band niobium single cell cavity (a length of 370 mm and the maximum diameter of 210 mm) was conducted by applying vacuum annealing at 750°C for 3 hours thereto. Inserted into the cavity was a plate-shaped niobium sample (a thickness of 2.5 mm, a width of 1 mm and a length in the range from 147 to 149 mm, which is also simply referred to as a sample) dehydrogenated in a similar way and thereafter an inner surface of the cavity and the niobium sample were subjected

to centrifugal barrel polishing using Fluorinert™ fluorine containing inert liquid (Fluorinert™) FC-77 (a mixture of $C_8F_{16}O$ and C_8F_{18}) manufactured by 3M Co. as a liquid medium with a resulted average polishing-off thickness of about 30 μm . Note that a polishing-off thickness of 30 μm corresponds to a thickness of an affected layer on a surface of niobium material to be removed by the polishing judging based on experiments in the past and the rule of thumb. Centrifugal barrel polishing was performed in conditions described in Table 1 with the apparatus shown in Figs. 1 and 2.

Table 1

Rotation number	160 rpm
Revolution number	160 rpm
Polishing chips	GCT
Amount of polishing chips	2000 cm^3
Amount of liquid medium	850 ml
Polishing time	4 hrs

Fig. 1





Fig. 2



Note that triangular prism-shaped GCT containing silicon carbide (SiC) as abrasive grains (manufactured by TKX Co.) was adopted as polishing chips. Furthermore, for comparison, prepared from the same material were a sample obtained by centrifugal barrel polishing in a dry condition without using a liquid medium, a sample obtained by centrifugal barrel polishing using a mixture of water and a surfactant as a liquid medium and a sample obtained by centrifugal barrel polishing using a hydrogen peroxide water or absolute propyl alcohol as a liquid medium.

Measurements were conducted on polishing-off thickness of the polished niobium samples and hydrogen concentrations in the samples. A polishing-off thickness was measured with an ultrasonic film thickness meter (manufactured by NOVA Co. with a model 800+). A hydrogen concentration in a sample was measured

with RH-1E method of LECO Co. (a combination of an inert gas melting method and a thermal conductivity method described in JIS-Z-2614).

(2) Test result

Results of the measurements are shown in Table 2.

Table 2

Liquid medium	Hydrogen concentration (detected values: ppm)	Polishing-off thickness (μm)
Water + Surfactant	79.1 ± 5.0	About 30
None (dry)	10.9 ± 0.8	About 0 to 5
Absolute propyl alcohol	49.4 ± 2.2	About 30
Hydrogen peroxide water (10%)	28.4 ± 1.4	About 30
Fluorinert FC-77	4.6 ± 0.8	About 30

An average polishing-off thickness in the range from about 0 to 5 μm in a case of a dry polishing (without a liquid medium) shows almost no polishing-off on the sample in the method. From the results, it was made clear that mechanically polishing with Fluorinert FC-77 having no hydrogen atom in a molecule thereof as a liquid medium greatly suppresses occlusion of hydrogen as a solid solution into a member to be polished in comparison with other liquid media.

Experiment 2

Comparative investigation on occlusion of hydrogen as a solid solution with ozone contained in liquid medium in centrifugal

barrel polishing

(1) Test method

After a plate-shaped niobium sample (a thickness of 2.5 mm, a width of 1 mm and a length in the range from 147 to 149 mm), according to Experiment 1, was put into an L band niobium single cell cavity (a length of 370 mm and the maximum diameter of 210 mm) dehydrogenated by vacuum annealing, the sample was subjected to centrifugal barrel polishing with FC-77 alone or a mixture of FC-77 and ozone in which ozone is absorbed in FC-77, as a liquid medium.

(2) Test result

Hydrogen concentrations (ppm) in samples after the central barrel polishing are as shown in Table 3.

Table 3

Liquid medium	Hydrogen concentration (ppm)	Polishing-off thickness (μm)
FC-77 alone	4.60 ± 0.8	about 30
FC-77 + ozone	2.67 ± 0.5	about 30

From Table 3, it was found that hydrogen concentrations in samples are both low, if they are subjected to centrifugal barrel polishing with FC-77 alone and mixture of FC-77 and ozone, respectively, as a liquid medium, which means that occlusion of hydrogen as a solid solution into the samples was remarkably suppressed during centrifugal barrel polishing.

Experiment 3

Manufacture of niobium superconducting accelerating cavity

(1) Test method


Installed in the apparatus of Fig. 1 was a 1300 MHz single cell cavity with a total cavity length of 370 mm, the maximum cavity diameter of 210 mm, a beam pipe diameter of 80 mm and a thickness of 2.5 mm and the single cell cavity was subjected to centrifugal barrel polishing. Conditions for centrifugal barrel polishing were in conformity with those of Experiment 1 and Fluorinert_{TM} fluorine containing inert liquid (FluorinertTM) FC-77 manufactured by 3M Co. was employed as a liquid medium. After cleaning with pure water, the cavity was placed on a support table with a rotation activating function and an inverting function, a chemical polishing solution kept at 30°C and composed of 89 w/v % phosphoric acid : 67 w/v % nitric acid : 40 w/v % hydrofluoric acid = 1 vol : 1 vol : 1 vol was continuously fed at a flow rate of 10 L/min through the cavity while the cavity was rotated at 10 rpm, and chemical polishing was thus conducted in the cavity for 10 minutes (a target of polishing-off was 50 μ m) as shown in Fig. 2. Thereafter, while the cavity is rotated, the polishing solution was rapidly discharged and, also, rolling and inverting were alternately effected in a repeated manner to clean the cavity by means of a common method. As Comparative Experiment, another single cell cavity was subjected to centrifugal barrel polishing with water only as a liquid medium and then a single cell cavity chemically polished in conformity with the above-mentioned

procedure.

(2) Test result

Total polishing-off thickness values of the cavities of Experiment 3 and Comparative Experiment thus obtained were measured with the result of an average thickness of about 80 μm . Acceleration performances (Q-values and accelerating electric fields [E_{acc} : MV/m]) of the cavities are shown in Fig. 3.

Fig. 3



Note that a measurement test for an acceleration performance was conducted at 1.4 K to which the cavity was cooled after being held at 100K for 16 hours in order to clearly confirm reduction

in Q-value due to occlusion of hydrogen as a solid solution. Reduction in Q-value was observed with a rise in an accelerating electric field in the cavity of Comparative Experiment obtained in a procedure in which after centrifugal barrel polishing with pure water, chemical polishing was applied, whereas no reduction in Q-value in the cavity of Experiment 3 was observed even with a rise in accelerating electric field. Therefore, it is clear that the accelerating cavity manufactured in Experiment 3 has by far higher acceleration performance as compared with that manufactured in Comparative Experiment.

It is declared by the undersigned that all statements made herein of undersigned's own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001, and that such willful false statements may jeopardize the validity of the above-identified application or any patent issuing thereon.

This 14th day of September, 2007

Kenji Saito

Kenji SAITO